Food and Drug Administration, HHS

§ 357.110 Anthelmintic active ingredient.

The active ingredient of the product is pyrantel pamoate when used within the dosage limits established in \$357.150(d)(1).

§357.150 Labeling of anthelmintic drug products.

- (a) Statement of identity. The labeling of the product contains the established name of the drug, if any, and identifies the product as a "pinworm treatment."
- the product as a "pinworm treatment."
 (b) *Indication*. The labeling of the product states, under the heading "Indication," the following: "For the treatment of pinworms." Other truth-"For the ful and nonmisleading statements, describing only the indications for use that have been established and listed in this paragraph (b), may also be used, as provided in §330.1(c)(2), subject to the provisions of section 502 of the act relating to misbranding and the prohibition in section 301(d) of the act against the introduction or delivery for introduction into interstate commerce of unapproved new drugs in violation of section 505(a) of the act.
- (c) Warnings. The labeling of the product contains the following warnings under the heading "Warnings":
- (1) "Abdominal cramps, nausea, vomiting, diarrhea, headache, or dizziness sometimes occur after taking this drug. If any of these conditions persist consult a doctor."
- (2) "If you are pregnant or have liver disease, do not take this product unless directed by a doctor."
- (d) *Directions.* The labeling of the product contains the following information under the heading "Directions":
- (1) Adults, children 12 years of age and over, and children 2 years to under 12 years of age: Oral dosage is a single dose of 5 milligrams of pyrantel base per pound, or 11 milligrams per kilogram, of body weight not to exceed 1 gram. Dosing information should be converted to easily understood directions for the consumer using the following dosage schedule:

Weight	Dosage (taken as a single dose) 1
Less than 25 pounds or	Do not use unless directed
under 2 years old.	by a doctor.
25 to 37 pounds	125 milligrams.

Weight	Dosage (taken as a single dose) 1
38 to 62 pounds	250 milligrams.
63 to 87 pounds	375 milligrams.
88 to 112 pounds	500 milligrams.
113 to 137 pounds	625 milligrams.
138 to 162 pounds	750 milligrams.
163 to 187 pounds	875 milligrams.
188 pounds and over	1,000 milligrams.

¹Depending on the product, the label should state the quantity of drug as a liquid measurement (e.g., teaspoonsful) or as the number of dosage units (e.g., tablets) to be taken for the varying body weights. (If appropriate, it is recommended that a measuring cup graduated by body weight and/or liquid measurement be provided with the product.) Manufacturers should present this information as appropriate for their product and may vary the format of this chart as necessary.

- (2) "Read package insert carefully before taking this medication. Take only according to directions and do not exceed the recommended dosage unless directed by a doctor. Medication should only be taken on time as a single dose; do not repeat treatment unless directed by a doctor. When one individual in a household has pinworms, the entire household should be treated unless otherwise advised. See Warn-If any worms other than pinworms are present before or after treatment, consult a doctor. If any symptoms or pinworms are still present after treatment, consult a doc-
- (3) "This product can be taken any time of day, with or without meals. It may be taken alone or with milk or fruit juice. Use of a laxative is not necessary prior to, during, or after medication."
- (e) *Optional wording.* The word "physician" may be substituted for the word "doctor" in any of the labeling statements in this section.

[51 FR 27759, Aug. 1, 1986; 52 FR 7831, Mar. 13, 1987, as amended at 53 FR 35810, Sept. 15, 1988]

§ 357.152 Package inserts for anthelmintic drug products.

The labeling of the product contains a consumer package insert which includes the following information:

- (a) A discussion of the symptoms suggestive of pinworm infestation, including a statement that pinworms must be visually identified before taking this medication.
- (b) A detailed description of how to find and identify the pinworm.